

## **CERTOTTICA**

Istituto Italiano per la Certificazione dei prodotti Ottici Scrl **Zona Industriale Villanova**I - 32013 Longarone BL

Tel.: ++39 437 573157 Fax: ++39 437 573131 E-Mail: info@certottica.it



PRD N°142B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

# **EU TYPE-EXAMINATION CERTIFICATE**

no: AC

20108

Pursuant to Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016,

### **CERTOTTICA Scri**

Italian Institute for the certification of optical products
Notified body under PPE Regulation with identification number: 0530

considering application for EU type-examination no.

20127

submitted on

05/05/2020

#### **CERTIFIES THAT**

the following personal protective equipment type

Personal eye and face protector - Face-shieldSpectacle
Serie 4

submitted by

### OP GROUP S.R.L.

Via Massarenti, 20 - 40013 Castel Maggiore (BO) - ITALY

meet the essential health and safety requirements which apply to it.

Description of the personal protective equipment model, references to the standards, test results and description of the CE marking placed on the equipment are described on pages 2, 3 and 4 of this document.

First issued on:

08/05/2020

Renewal or revision date:

Expiry date:

07/05/2025

Longarone,

08/05/2020

Certification Services Manager (Giorgio Sommarioa)

Longarone

This document has no. 4 numbered pages.



Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements

## 1. Description of the Personal Protective Equipment

Identification of the PPE:

Serie 4

Trade name:

OP GROUP

Kind of equipment:

Personal eye and face protector - Face-shieldSpectacle

Ocular Material

polyethylene terephthalate

Frame Material

Polyurethane-Polyester

In compliance with Standard(s): EN 166:2001

PPE Category:

Field(s) of use:

Increased robustness/Basic use

Protection against high-speed particles - Low energy (variant 4.6.b curvy);

and /

Protection against splashes of liquids.

Note:

The face-shield model Serie 4 is in four variants: 1.00 mm thick visor with single headband - code 4.6 curvy (increased robustness), 1.50 mm thick visor with single headband - code 4.6b curvy (protection against highspeed particles - Low impact energy), 0.75 mm thick visor with double headband - code 4.7 (increased robustness) and 1.0 mm thick visor with single headband - code 4.9 curvy Baby Mask (eye protector designed to fit a small head with increased robustness).

The harmonized standard EN 166: 2001 provides in paragraph 9.1 that the marking is fully visible once the device is assembled. The structure of the device does not allow to affix a visible marking on the frame, therefore the possibility of affixing the marking on the visor in a position that does not obstruct the user's field of vision is granted as an exception. See section 4 page 4.

Manufacturer's name:

OP GROUP S.R.L.

Manufacturer's address:

Via Massarenti, 20 - 40013 Castel Maggiore (BO) - ITALY

Authorised representative's name:


Authorised representative's address: /

Certificate's holder:

OP GROUP S.R.L.

Holder's address:

Via Massarenti, 20 - 40013 Castel Maggiore (BO) - ITALY









PRD N°142B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements

2.	Levels of protection offered by the P					
	Applicable harmonised standards/tech	nical specifications:				
	EN 165:2005 - Personal eye-protection	n - Vocabulary				
	EN 166:2001 - Personal eye-protection	n - Specifications				
	EN 167:2001 - Personal eye-protection	n - Optical test methods				
	EN 168:2001 - Personal eye-protection	n - Non-optical test methods	3			
	1					
	Personal protection equipment model:	Serie 4				
	complies with the basic requirements and with the following additional requirements provided for by the harmonised standard(s)/technical specification(s) for the particular use of this PPE in the foreseeable conditions of use:  EN 166:2001 and /					
	Increased robustness/Basic use					
	Protection against high-speed particles - Low energy (variant 4.6.b curvy);					
	Protection against splashes of liquids.					
	1					
	1					
	Moreover, the personal protection equipment complies with the specific requirements provided for by the connected harmonised standard(s)/technical specification(s) for the particular fields of use:					
	1					
	1		and the same of th	alkala ing		
			Long	arene		
3.	Test and examinations results are c	overed by the following te	st reports:	5		
	CERTOTTICA	201645	30/04/2020	R		
	CERTOTTICA	201646	30/04/2020			
	CERTOTTICA	201647	30/04/2020			
	CERTOTTICA	201648	30/04/2020			
	1	1				
	1	1				
	1	1				
	1	1				
	1	1				



PRD N°142B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

		Ocular 1	Ocular 2
Variant	Variant 4.6 curvy	-	1
Scale Number	Variant 4.7	-	1
	Variant 4.6b curvy	1	<u>-</u>
	Variant 4.9 curvy Baby Mask		1
Manufacturer's Identific	eation	OP	OP
Optical class		1	1
Standard of reference			
Symbol of Mechanical F	Resistance	S	F
1		1	1
1		1	1
1		1	1
1		1	1
1		1	1
CE Marking		CE	CE

Marking position:

Outer side visor in the upper left corner. In accordance with paragraph 9.4 of the EN 166: 2001 standard, for eye protectors where the frame and the eyepiece form a single unit, the marking is affixed to the frame (see section 1 page 2). The complete marking is: OP 1 S - EN166 3 S CE for the 4.6 curvy and 4.7 variants, OP 1 F - EN166 3 F CE for the 4.6b curry variant and OP 1 S - EN166 3 S H CE for the 4.9 curvy Baby Mask variant.

#### 5. The Marking elements reproduced on the frame are the following:

Manufacturer's Identification	OP
Reference standard	EN 166
Protection against splashes of liquids	3
Increased robustness	S
Protection against high-speed particles - Low energy impact (variant 4.6b curvy)	F
Frames designed to fit a small head (variant 4.9 curvy Baby Mask)	Н
1	1
CE Marking	CE
Marking Con acular marking	

Marking See ocular marking. position:

### 6. Stetment for category III PPE:

Terms and conditions under which the Certificate is issued

- a) Marking and instructions have been examined in Italian. Obtaining and supplying versions in languages accepted by the countries where the product is sold are under the complete responsibility of the Manufacturer or of his authorized representative.
- b) Any changes to the product, to the technical documentation or, in set cases, to the manual or to the quality control procedures, shall be notified in time to Certottica.
- c) The Manufacturer or his authorized representative shall respect the procedures and rules provided for by Certottica for the issuing of the EU type-examination.
- d) Copies of this EU type-examination certificate, supplied to third parties, shall be reproduced in their entirety.
- e) This EU type-examination certificate shall be kept by the Manufacturer to be shown, on request, to the market surveillance authorities.
- f) This EU type-examination certificate remains property of Certottica, which can ask it to be returned if any of the above mentioned conditions is not respected.

Pag. 4 of 4

C.R